



### Type of luminaire

Type of luminaire	Post light fixture.
Photometric body	Top-shaded rotationally symmetrical light.
Characteristics of the luminaire	A bollard lamp with a stable and durable construction. Designed for illuminating private areas and public zones.

### General information

Materials	Wood - scandinavian painted pine and hot-dip galvanized steel. Wood - scandinavian painted pine, hot-dip galvanized and powder painted steel. Lens - plastic PMMA in milky color. Silicone gasket.
Mounting method	Fixture mounting: 3 holes ø9mm on a ø65mm diameter at 120° intervals.
Terminal	Terminal connectors: max 3x2.5mm <sup>2</sup> , possibility of looping the fixture max 3x1.5mm <sup>2</sup> . Round sheath cable with a diameter max ø12.5mm.
Type of light source	Lamp E27 Replaceable light source by an end-user.
Luminaire weight net / gross	5,9kg / 7,3kg
Box dimensions [cm]	20,5cm x 20,5cm x 91cm
Luminaire dimensions [cm]	15cm x 15cm x 85cm

### Technical data

Lamp E27	Yes
Light source wattage	LED max 9W
Luminaire wattage	LED max 9W
ULOR	11%
Ta Rated temperature	+25°C
Ambient operating temp. range	-20...+45°C

Option to order the fixture with a Philips Master LEDbulb 806lm/8.5W/2700K (dimmable) LED lamp E27 type.

BUG rating	B0-U1-G0
------------	----------

### Accessories sold separately

3086GA0009	Mounting adapter
205ZX0010	Concreting anchor
206GA0S10	Adapter for concrete foundation
206GA0010	Ground anchor
3080GA0009	Mounting adapter

### Recommended light sources

Osram LED Parathom Classic E27	Philips Master LEDbulb / Ledbulb Classic E27
Osram ECO PRO Classic 46 <=> 60W E27	Philips ECO Classic 42 <=> 60W E27

### Spare parts

06291001	Lampshade - service kit
08288004	Gasket.

### Files to download

Photometric LDT files	Photometric IES files
3D models and drawings	Manual
BIM ArchiCAD	

### Indexes

Index	Color	RAL
1440BL	BLACK	9005
1440GA	HOT-DIP GALVANIZING	-

Other colors according to the "Colors Template" pattern book - available on request, subject to agreement with Norlys' Sales Department.