



Type of luminaire

| | |
|----------------------------------|---|
| Type of luminaire | Post light fixture. |
| Photometric body | Top-shaded rotationally symmetrical light. |
| Characteristics of the luminaire | Bollard luminaire of stable and durable construction. For lighting private areas and public spaces. |

General information

| | |
|------------------------------|---|
| Materials | Hot-dip galvanized steel. Lens - plastic PMMA in milky color. Silicone gasket. |
| Mounting method | Fixing of the luminaire: 3 holes \varnothing 9mm with a diameter of \varnothing 65mm every 120°. |
| Terminal | Connection terminals: max 3x4mm ² , possibility to connect luminaire in loop max 3x2,5mm ² . A round wire in the isolation with a diameter of max \varnothing 12,5mm. |
| Type of light source | LED E27 lamp |
| Light control | Phase-dimming (TRIAC) TRAILING EDGE (TE) - LEADING EDGE (LE) |
| Luminaire weight net / gross | 5,6kg / 6,65kg |
| Box dimensions [cm] | 20cm x 20cm x 55cm |

Technical data

| | |
|-------------------------------------|-------------|
| Light source wattage | 8,5W |
| Luminaire wattage | 8,5W |
| Lamp luminous flux | 806lm |
| Luminaire luminous flux | 132lm |
| Efficiency of the luminaire | 15,5lm/W |
| Color temperature | 2700K |
| Colour consistency (McAdam ellipse) | SDCM6 |
| Colour rendering index CRI | 80 |
| Power Factor luminaire | PF 0,70 |
| Ta Rated temperature | +25°C |
| Ambient operating temp. range | -20...+45°C |

This product contains light source of energy efficiency class **F**

| | |
|------------|----------|
| BUG rating | B0-U1-G0 |
|------------|----------|

Accessories sold separately

| | |
|------------|---------------------------------|
| 3086GA0009 | Mounting adapter |
| 205ZX0010 | Concreting anchor |
| 206GA0S10 | Adapter for concrete foundation |
| 206GA0010 | Ground anchor |
| 3080GA0009 | Mounting adapter |

Recommended light sources

| | |
|--------------------------------|--|
| Osram LED Parathom Classic E27 | Philips Master LEDbulb / Ledbulb Classic E27 |
|--------------------------------|--|

Spare parts

| | |
|----------|-------------------------|
| 06291001 | Lampshade - service kit |
| 08288004 | Gasket. |
| 46999021 | LED E27 lamp |

Files to download

| | |
|------------------------|-----------------------|
| Photometric LDT files | Photometric IES files |
| 3D models and drawings | Manual |

Indexes

| Index | Color | RAL |
|--------|---------------------|------|
| 1477BL | BLACK | 9005 |
| 1477GA | HOT-DIP GALVANIZING | - |

Other colors according to the "Colors Template" pattern book - available on request, subject to agreement with Norlys' Sales Department.